Contents of Volume 41

Number 1, June 1990

Analysis of the monohexosylceramide fraction of *Echinococcus multilocularis* metacestodes
F. Persat, J.-F. Bouhours, M. Mojon and A.-F. Petavy (France, Sweden) 1

A *Trypanosoma brucei* small RNP particle containing the 5S rRNA
S. Michaeli and N. Agabian (U.S.A.) 7

Changes in hepatic xenobiotic-metabolising enzymes in mouse liver following infection with *Leishmania donovani*
G.H. Coombs, C.R. Wolf, V.M. Morrison and J.A. Craft (U.K.) 17

Molecular cloning and primary sequence of a cysteine protease expressed by *Haemonchus contortus* adult worms
G.N. Cox, D. Pratt, R. Hageman and R.J. Boisvenue (U.S.A.) 25

Molecular cloning and tissue distribution of a 26-kilodalton *Schistosoma mansoni* glutathione *S*-transferase
F. Trottein, M.P. Kieny, C. Verwaerde, G. Torpier, R.J. Pierce, J.-M. Balloul, D. Schmitt, J.-P. Lecocq and A. Capron (France) 35

Biotin as a probe of the surface of *Ascaris suum* developmental stages
D.E. Hill, R.H. Fetterer and J.F. Urban, Jr. (U.S.A.) 45

Identification and characterization of a target antigen of a monoclonal antibody directed against *Eimeria tenella* merozoites
C. Ko, C.K. Smith II and M. McDonell (U.S.A.) 53

Trichomonas vaginalis require traces of oxygen and high concentrations of carbon dioxide for optimal growth
T.A. Paget and D. Lloyd (U.K.) 65

Generation of chromosome size polymorphism during in vivo mitotic multiplication of *Plasmodium berghei* involves both loss and addition of subtelomeric repeat sequences
M. Ponzi, C.J. Janse, E. Dore, R. Scotti, T. Pace, T.J.F. Reterink, F.M. Van der Berg and B. Mons (Italy, The Netherlands) 73

Expression and characterization of glucose-6-phosphate dehydrogenase of *Plasmodium falciparum*
B. Kurdi-Haidar and L. Luzzatto (U.K.) 83

Purification of a putative lipoprotein receptor from *Schistosoma japonicum* adult worms
M.V. Rogers, D. Quilici, G.F. Mitchell and N.H. Fidge (Australia) 93

Bloodstream and metacyclic variant surface glycoprotein gene expression sites of *Trypanosoma brucei gambiense*
D.A. Barnes, J.C. Mottram and N. Agabian (U.S.A., U.K.) 101

The role of amino acids in the energy generating pathways of *Litomosoides carinii*
K.P. Davies and P. Köhler (Switzerland) 115

Characterisation and sequence of a protective rhoptry antigen from *Plasmodium falciparum*
R.G. Ridley, B. Takacs, H.-W. Lahm, C.J. Delves, M. Goman, U. Certa, H. Matile, G.R. Woollett and J.G. Scaife (U.K., Switzerland) 125

Characterization of kinetoplast minicircle DNA in the lower trypanosomatid *Crithidia oncopelti*
D.G. Pestov, L.A. Gladkaya, D.A. Maslov and A.A. Kolesnikov (U.S.S.R.) 135

Characterization of a *Trypanosoma cruzi* specific nuclear repeated sequence
P. Wincker, G. Roizès and S. Goldenberg (Brazil, France) 147

Number 2, July 1990

Biophysical transport properties of the cuticle of *Ascaris suum*
N.F.H. Ho, T.G. Geary, T.J. Raub, C.L. Barsuhn and D.P. Thompson (U.S.A.) 153

Characterization, cloning and host-protective activity of a 30-kilodalton glycoprotein secreted by the parasitic stages of *Trichostrongylus colubriformis*
K.W. Savin, T.A.A. Dopheide, M.J. Frenkel, B.M. Wagland, W.N. Grant and C.W. Ward (Australia) 167

A family of glycolipid linked proteins in *Eimeria tenella*
A. Gurnett, P. Dulski, J. Hsu and M.J. Turner (U.S.A.) 177

Partial characterization of two antigens secreted by L_1 larvae of *Trichinella spiralis*
A.M. Gold, D.D. Despommier and S.W. Buck (U.S.A.) 187

Selective inhibition of the uptake by bloodstream form *Trypanosoma brucei brucei* of serum lipoprotein-associated phospholipid and cholesteryl ester
V. Vandeweerd and S.J. Black (Kenya) 197

Primary structure of *Trypanosoma cruzi* small-subinit ribosomal RNA coding region: comparison with other trypanosomatids
R. Hernández, P. Ríos, A.M. Valdés and D. Piñero (Mexico) 207

Evidence for segmental gene conversion between a cognate *hsp70* gene and the temperature-sensitively transcribed *hsp70* genes of *Trypanosoma brucei*
M.G.-S. Lee, R.I. Polvere and L.H.T. Van der Ploeg (U.S.A.) 213

Transcription of the heat shock 70 locus in *Trypanosoma brucei*
M.G.-S. Lee and L.H.T. Van der Ploeg (U.S.A.) 221

Lipophosphoglycan and secreted acid phosphatase of *Leishmania tropica* share species-specific epitopes
C.L. Jaffe, L. Perez M. and L.F. Schnur (Israel) 233

Characterization of *Trichinella spiralis* antigens sharing an immunodominant, carbohydrate-associated determinant distinct from phosphorylcholine
E.Y. Denkers, D.L. Wassom and C.E. Hayes (U.S.A.) 241

Cytochrome P-450 activity in malarial parasites and its possible relationship to chloroquine resistance
A.M. Ndifor, S.A. Ward and R.E. Howells (U.K.) 251

Expression, purification, biochemical characterization and inhibition of recombinant *Plasmodium falciparum* aldolase
H. Döbeli, A. Trzeciak, D. Gillessen, H. Matile, I.K. Srivastava, L.H. Perrin, P.E. Jakob and U. Certa (Switzerland) 259

Regions of an *Eimeria tenella* antigen contain sequences which are conserved in circumsporozoite proteins from *Plasmodium* spp. and which are related to the thrombospondin gene family
L.E. Clarke, F.M. Tomley, M.H. Wisher, I.J. Foulds and M.E.G. Boursnell (U.K.) 269

The gene for hypoxanthine phosphoribosyl transferase of *Plasmodium falciparum* complements a bacterial *HPT* mutation
M. Shahabuddin and J. Scaife (U.K.) 281

A second region recognized by the protective monoclonal antibody 5C10/66 in the precursor to the major merozoite surface antigen of *Plasmodium chabaudi adami* (*Short Communication*)
A.M. Lew, D.J. Beck and L.M. Thomas (Australia) 289

Sequence conservation of a functional domain of erythrocyte binding antigen 175 in *Plasmodium falciparum* (*Short Communication*)
B.K.L. Sim (U.S.A.) 293